

Eurofins Polska Sp. z o.o.
ul. Dubois 118D
93-465 Łódź
POLSKA
www.eurofins.pl



AB 1334

SFD S.A.
ul. Głogowska 41
45-315 Opole
POLSKA

Data raportu 30.10.2025



Raport analityczny AR-25-E8-158633-01

Numer próbki 297-2025-00240133

x Rodzaj próbki	ALLNUTRITION BETA ALANINE 250 g COLA 005-32419-3700466
x Zlecający badania	SFD S.A.
x Data zlecenia klienta	21.10.2025
x Numer zlecenia	006-32419-793693
Data przyjęcia próbki	22.10.2025
Próbki dostarczone przez	Firmę kurierską
Stan próbki	bez zastrzeżeń
Warunki transportu	w temp. otoczenia
x Próbki pobrane przez	zlecniodawcę
x Sposób pobrania próbki/próbek	gwarantujący jej reprezentatywność
x Cel badania	nieokreślony
x Kod próbki klienta	Nowa próbka 15
x Numer Partii	50710.E1
x Opakowanie	opakowanie producenta
Ilość próbek zbadanych	1
Data rozpoczęcia badania	22.10.2025
Data zakończenia badania	30.10.2025

Wyniki badań / Rezultaty

DJAPB Wolna Beta-Alanina (#)

Metoda EN ISO 13903:2005 mod, IC-UV, IC-UV

Analiza wykonywana w laboratorium grupy Eurofins Eurofins Vitamin Testing Denmark

β-Alanina (wolna)	762	g/kg	± 20%
	Wartość szacowana: 3200	mg/4 g dw	

E8006 Zawartość kadmu (A)

Metoda PN-EN 15763:2010, ICP-MS

Zawartość kadmu	<0,005*	mg/kg	0.005 ± 0.001
-----------------	---------	-------	---------------

E8007 Zawartość arsenu (A)

Metoda PN-EN 15763:2010, ICP-MS

Zawartość arsenu	<0,005*	mg/kg	0.005 ± 0.001
------------------	---------	-------	---------------

E8008 Zawartość ołowiu (A)

Metoda	PN-EN 15763:2010, ICP-MS		
Zawartość ołowiu	<0,005*	mg/kg	0.005 ± 0.001
E8009	Zawartość rtęci (A)		
Metoda	PN-EN 15763:2010, ICP-MS		
Zawartość rtęci	<0,005*	mg/kg	0.005 ± 0.001

* = Poniżej granicy oznaczalności

= Nieakredytowany

A = Badanie akredytowane

+/- Niepewność pomiaru wyrażona jako niepewność rozszerzona przy poziomie ufności około 95% i współczynniku rozszerzenia k=2.

Niepewność pomiaru nie uwzględnia etapu pobierania próbek. Dla rezultatów badania podanych w formie „< lub >”, podana niepewność pomiaru dotyczy wyłącznie odpowiednio dolnej lub górnej granicy akredytowanego zakresu pomiarowego.

x = Dane dostarczone od Klienta

Wiktoria Tomecka

Autoryzujący:
Barbara Gawronska - Kierownik - Pracownia Chemiczna
Magdalena Pawlak - Młodszy Asystent – Pracownia Chemiczna

Zatwierdzający: Wiktoria Tomecka
Młodszy Koordynator ds. Technicznej Obsługi Klienta

1. Wyniki odnoszą się do otrzymanych i badanych próbek.
2. Wyników badań nie można powielać inaczej niż w całości bez pisemnej zgody Eurofins Polska Sp. z o.o.
3. Laboratorium podaje niepewność pomiaru, gdy jest to istotne dla ważności wyników lub zastosowania wyników badań; jest uzgodnione z klientem; jeśli niepewność pomiaru wpływa na zgodność z wyspecyfikowaną granicą.
4. Klient ma prawo do złożenia skargi w terminie 14 dni od daty otrzymania raportu analitycznego. Dopuszcza się przyjmowanie skargi jedynie w formie pisemnej, drogą elektroniczną na adres reklamacje@eurofins.pl lub drogą pocztową.
5. Zatwierdzone wyniki badań wykonywanych u dostawców autoryzowane są przez osoby upoważnione w laboratorium dostawcy.
6. W przypadku, gdy Klient wymaga stwierdzenia zgodności ze specyfikacją lub wymaganiem dotyczącym badania a zasada podejmowania decyzji nie jest zawarta w w/w dokumentach, Laboratorium uzgadnia zasadę, która będzie zastosowana.
7. W przypadku, gdy wynik nie zawiera się w akredytowanym zakresie pomiarowym, wartość jest przedstawiona jako rezultat badania w formie <y lub >y (y- wartość odpowiadająca dolnej/górnej granicy zakresu pomiarowego akredytowanej metody).
8. Laboratorium nie ponosi odpowiedzialności za dane dostarczone przez Klientów. Dostarczone dane mogą wpływać na ważność wyników.



Eurofins Polska Sp. z o.o.
ul. Dubois 118D
93-465 Łódź
POLAND
www.eurofins.pl



AB 1334

SFD S.A.
ul. Głogowska 41
45-315 Opole
POLSKA

Issue date 30.10.2025



Analytical report AR-25-E8-158633-01

Sample code 297-2025-00240133

x Type of sample	ALLNUTRITION BETA ALANINE 250 g COLA
	005-32419-3700466
x Prescriber	SFD S.A.
x Purchase order date	21.10.2025
x Client Purchase order nr.	006-32419-793693
Reception date	22.10.2025
Transport by	Courier
Sample condition	acceptable
Transport condition	at ambient temp.
x Sampling Person	principal
x Type of sampling	to guarantee its representativeness
x Purpose of the testing	not specified
x Client sample code	Nowa próbka 15
x Batch number	50710.E1
x Packaging	manufacturer packaging
Number of tested samples	1
Start analysis	22.10.2025
End Analysis	30.10.2025

Results / Outcomes

DJAPB	Free Beta-Alanine (#)				
Method	EN ISO 13903:2005 mod, Amino acids are extracted from the sample using hydrochloric acid solution. Sulphosalicylic acid is added for precipitation of any protein from the sample. pH of test solution is adjusted and then brought to volume with loading buffer and transferred to a vial. Amino acids are separated in an amino acid analyzer and the detection is carried out using post column derivatisation with ninhydrin reagent and 440 and 570 nm. For quantification a 1-point calibration is used. For quality assurance, an in-house standard, pet food, is analyzed in every run., IC-UV				
Subcontracted to the Eurofins laboratory Eurofins Vitamin Testing Denmark					
beta-Alanine, free		762		g/kg	± 20%
		Estimated value:	3200	mg/4 g dw	
E8006	Cadmium content (A)				
Method	EN 15763:2009, ICP-MS				

Cadmium content	<0,005*	mg/kg	0.005 ± 0.001
E8007 Arsenic content (A)			
Method EN 15763:2009, ICP-MS			
Arsenic content	<0,005*	mg/kg	0.005 ± 0.001
E8008 Lead content (A)			
Method EN 15763:2009, ICP-MS			
Lead content	<0,005*	mg/kg	0.005 ± 0.001
E8009 Mercury content (A)			
Method EN 15763:2009, ICP-MS			
Mercury content	<0,005*	mg/kg	0.005 ± 0.001

* = Below the specific limit of quantification

= Not accredited

A = Accredited method

+/- Uncertainty of measurement presented as expanded uncertainty of measurement (95%; k=2). The measurement uncertainty does not take into account the sampling step. For test results given in the form „<or>“, the given uncertainty of measurement applies only to the lower or upper limit of the accredited measuring range, respectively.

x = Data provided by the customer

Wiktoria Tomecka

Authorized by:
Barbara Gawronska - Laboratory Manager – Chemical Department
Magdalena Pawlak - Junior Assistant – Chemical Department

Approved by Wiktoria Tomecka
Junior Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied.
7. If the result is not within the accredited measurement range, the value is presented as a test result in the form <y or >y (y - value corresponding to the lower/upper limit of the accredited method's measurement range).
8. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.