

Raport analityczny AR-26-E8-002944-01


Numer próbki 297-2026-00001601

Data raportu 15.01.2026

Klient	SFD S.A. ul. Głogowska 41 45-315 Opole POLSKA
x Rodzaj próbki	ALLNUTRITION RED SHOT 80 ML KAUCJA - NOWOŚĆ 005-32419-3756696
x Zlecający badania	SFD S.A.
x Data zlecenia klienta	07.01.2026
Próbki dostarczone przez	Firmę kurierską
x Próbki pobrane przez	zleciennodawcę
x Cel badania	nieokreślony
x Sposób pobrania próbki/próbek	gwarantujący jej reprezentatywność
Data przyjęcia próbki	08.01.2026
x Numer Partii	L3/25
x Opakowanie	opakowanie producenta
Stan próbki	bez zastrzeżeń
Warunki transportu	w temp. otoczenia
Ilość próbek zbadanych	1
x Kod próbki klienta	Nowa próbka 27
Data rozpoczęcia badania	08.01.2026
Data zakończenia badania	14.01.2026

Wyniki badań / Rezultaty

Test	Parametr	Metoda	Wynik	Jednostka	Niepewność pomiaru
DJFCR	Cytrulina (#)	EN ISO 13903:2005 mod, LC-UV, IC-UV	15 ,1	g/kg	± 3.020

= Nieakredytowany
A = Badanie akredytowane
x = Dane dostarczone od Klienta

Badania wykonano w laboratorium:
DJFCR: Eurofins Vitamin Testing Denmark 0001: (Not accredited)

+/- Niepewność pomiaru wyrażona jako niepewność rozszerzona przy poziomie ufności około 95% i współczynniku rozszerzenia k=2.
Niepewność pomiaru nie uwzględnia etapu pobierania próbek.



Zatwierdzający: Aneta Zawila
Koordynator ds. Technicznej Obsługi Klienta

1. Wyniki odnoszą się do otrzymanych i badanych próbek.
2. Wyników badań nie można powielać inaczej niż w całości bez pisemnej zgody Eurofins Polska Sp. z o.o.
3. Laboratorium podaje niepewność pomiaru, gdy jest to istotne dla ważności wyników lub zastosowania wyników badań; jest uzgodnione z klientem; jeśli niepewność pomiaru wpływa na zgodność z wyspecyfikowaną granicą.
4. Klient ma prawo do złożenia skargi w terminie 14 dni od daty otrzymania raportu analitycznego. Dopuszcza się przyjmowanie skargi jedynie w formie pisemnej, drogą elektroniczną na adres reklamacje@eurofin lub drogą pocztową.
5. Zatwierdzone wyniki badań wykonywanych u dostawców autoryzowane są przez osoby upoważnione w laboratorium dostawcy.
6. W przypadku, gdy Klient wymaga stwierdzenia zgodności ze specyfikacją lub wymaganiem dotyczącym badania a zasada podejmowania decyzji nie jest zawarta w w/w dokumentach, Laboratorium uzgadnia zasadę, która będzie zastosowana.
7. W przypadku, gdy wynik nie zawiera się w akredytowanym zakresie pomiarowym, wartość jest przedstawiona jako rezultat badania w formie <y lub >y (y- wartość odpowiadająca dolnej/górnej granicy zakresu pomiarowego akredytowanej metody).
8. Laboratorium nie ponosi odpowiedzialności za dane dostarczone przez Klientów. Dostarczone dane mogą wpływać na ważność wyników.

Analytical report AR-26-E8-002944-01


Sample code 297-2026-00001601

Issue date 15.01.2026

Client	SFD S.A. ul. Głogowska 41 45-315 Opole POLSKA
x Type of sample	ALLNUTRITION RED SHOT 80 ML KAUCJA - NOWOŚĆ 005-32419-3756696
x Prescriber	SFD S.A.
x Purchase order date	07.01.2026
Transport by	Courier
x Sampling Person	principal
x Purpose of the testing	not specified
x Type of sampling	to guarantee its representativeness
Reception date	08.01.2026
x Batch number	L3/25
x Packaging	manufacturer packaging
Sample condition	acceptable
Transport condition	at ambient temp.
Number of tested samples	1
x Client sample code	Nowa próbka 27
Start analysis	08.01.2026
End Analysis	14.01.2026

Results / Outcomes

Test code	Parameter	Method	Result	Unit	Uncertainty of measurement
DJFCR	Citrulline (#)	EN ISO 13903:2005 mod, Determined using Biochrome equipment, IC-UV	15 ,1	g/kg	± 3.020

= Not accredited
A = Accredited method
x = Data provided by the customer

Details of laboratory accreditation:
DJFCR: Eurofins Vitamin Testing Denmark 0001: (Not accredited)

+/- Uncertainty of measurement presented as expanded uncertainty of measurement (95%; k=2). The measurement uncertainty does not take into account the sampling step.



Approved by Aneta Zawila
Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied.
7. If the result is not within the accredited measurement range, the value is presented as a test result in the form $<y$ or $>y$ (y - value corresponding to the lower/upper limit of the accredited method's measurement range).
8. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.

NIP: PL5792000046 Regon: 192897343