

Eurofins Polska Sp. z o.o.
ul. Dubois 118D
93-465 Łódź
POLAND
www.eurofins.pl



AB 1334

SFD S.A.
ul. Głogowska 41
45-315 Opole
POLSKA

Issue date 22.06.2026



Analytical report AR-26-E8-077472-01

Sample code 297-2026-00112190

* Type of sample	ALLNUTRITION L-LYSINE 100 VEGE CAPS 500MG
* Sample sender	005-32419-3912037
* Prescriber	SFD S.A.
* Purchase order date	SFD S.A.
* Reception date	15.06.2026
Transport by	17.06.2026
Sample condition	Eurofins sample taker
Transport condition	acceptable
* Sampling Person	at ambient temp.
* Type of sampling	principal
* Purpose of the testing	to guarantee its representativeness
* Client sample code	not specified
* Batch number	Nowa próbka 10
* Packaging	2025086
Number of tested samples	manufacturer packaging
Start analysis	1
End Analysis	17.06.2026
	22.06.2026

Results / Outcomes

E8006	Zawartość kadmu (A)			
Method	PN-EN 15763:2010, ICP-MS			
Zawartość kadmu	<0,005*	mg/kg		0.005 ± 0.001
E8007	Zawartość arsenu (A)			
Method	PN-EN 15763:2010, ICP-MS			
Zawartość arsenu	<0,005*	mg/kg		0.005 ± 0.001
E8008	Zawartość ołowiu (A)			
Method	PN-EN 15763:2010, ICP-MS			
Zawartość ołowiu	0,034	mg/kg		± 0,009
E8009	Zawartość rtęci (A)			
Method	PN-EN 15763:2010, ICP-MS			
Zawartość rtęci	<0,005*	mg/kg		0.005 ± 0.001

* = Below the specific limit of quantification

A = Accredited method

+/- Uncertainty of measurement presented as expanded uncertainty of measurement (95%; $k=2$). The measurement uncertainty does not take into account the sampling step. For test results given in the form „<or>“, the given uncertainty of measurement applies only to the lower or upper limit of the accredited measuring range, respectively.

x = Data provided by the customer

Natalia Napieralska

Authorized by:
Przemyslaw Rutana - Laboratory Technician - Chemical Department

Approved by Natalia Napieralska
Senior Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied.
7. If the result is not within the accredited measurement range, the value is presented as a test result in the form <y or >y (y - value corresponding to the lower/upper limit of the accredited method's measurement range).
8. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.