

Raport analityczny AR-26-E8-027200-01



Numer próbki 297-2026-00027631

Data raportu 04.03.2026

Klient	SFD S.A. ul. Głogowska 41 45-315 Opole POLSKA
x Rodzaj próbki	ALLDEYNN ELECTROROSE 300 g LEMON-LIME NOWOŚĆ 005-32419-3790981
x Zlecający badania	SFD S.A.
x Data zlecenia klienta	13.02.2026
x Numer zlecenia	13.02.2026
Próbki dostarczone przez	Zlecniodawcę
x Próbki pobrane przez	zlecniodawcę
x Cel badania	próbka technologiczna
x Sposób pobrania próbki/próbek	gwarantujący jej reprezentatywność
Data przyjęcia próbki	16.02.2026
x Numer Partii	AD260231
Stan próbki	bez zastrzeżeń
Warunki transportu	w temp. otoczenia
Ilość próbek zbadanych	1
x Kod próbki klienta	Nowa próbka 3
Data rozpoczęcia badania	16.02.2026
Data zakończenia badania	03.03.2026

Wyniki badań / Rezultaty

Test	Parametr	Metoda	Wynik	Jednostka	Niepewność pomiaru	Kryteria
A7295	Kalcyferol oznaczany ilościowo jako cholekalcyferol (A)	USP 41/ NF 36 method 1 mod., LC-DAD	299	µg/100 g	± 59.800	250 µg/100 g
DJCV3	Kwas askorbinowy w postaci askorbinianu sodu (A)	ISO 20635:2018, LC-DAD	2800	mg/100 g	± 280.000	
	Witamina C (A)		2490	mg/100 g	± 249.000	500 mg/100 g
E801K	Zawartość magnezu (#)	PN-EN 17851:2024-01, ICP-MS	>10000	mg/kg	10000 ± 1500.00	1250 mg/100 g
E801Q	Zawartość wapnia (#)	PN-EN 17851:2024-01, ICP-MS	>10000	mg/kg	10000 ± 1500.00	2400 mg/100 g
E801R	Zawartość potasu (#)	PN-EN 17851:2024-01, ICP-MS	>10000	mg/kg	10000 ± 1500.00	2000 mg/100 g
E8AJ2	Zawartość sodu (#)	PN-EN 17851:2024-01, ICP-MS	>1	g/100 g	1 ± 0.1500	2000 mg/100 g

= Nieakredytowany
A = Badanie akredytowane
x = Dane dostarczone od Klienta

Badania wykonano w laboratorium:

A7295, DJCV3: Eurofins Vitamin Testing Denmark RE00037: DS EN ISO/IEC 17025 DANAK 581

+/- Niepewność pomiaru wyrażona jako niepewność rozszerzona przy poziomie ufności około 95% i współczynniku rozszerzenia $k=2$. Niepewność pomiaru nie uwzględnia etapu pobierania próbek. Dla rezultatów badania podanych w formie „< lub >”, podana niepewność pomiaru dotyczy wyłącznie odpowiednio dolnej lub górnej granicy akredytowanego zakresu pomiarowego.

PODSUMOWANIE

Mg = 13441,90 mg/kg;

Ca = 25105,60 mg/kg;

K = 22772,17 mg/kg;

Na = 2,0851 g/100 g



Autoryzujący:
Magdalena Pawlak - Młodszy Asystent – Pracownia Chemiczna

Zatwierdzający: Wiktoria Tomecka
Młodszy Koordynator ds. Technicznej Obsługi Klient

1. Wyniki odnoszą się do otrzymanych i badanych próbek.
2. Wyników badań nie można powielać inaczej niż w całości bez pisemnej zgody Eurofins Polska Sp. z o.o.
3. Laboratorium podaje niepewność pomiaru, gdy jest to istotne dla ważności wyników lub zastosowania wyników badań; jest uzgodnione z klientem; jeśli niepewność pomiaru wpływa na zgodność z wyspecyfikowaną granicą.
4. Klient ma prawo do złożenia skargi w terminie 14 dni od daty otrzymania raportu analitycznego. Dopuszcza się przyjmowanie skargi jedynie w formie pisemnej, drogą elektroniczną na adres reklamacje@eurofin lub drogą pocztową.
5. Zatwierdzone wyniki badań wykonywanych u dostawców autoryzowane są przez osoby upoważnione w laboratorium dostawcy.
6. W przypadku, gdy Klient wymaga stwierdzenia zgodności ze specyfikacją lub wymaganiem dotyczącym badania a zasada podejmowania decyzji nie jest zawarta w w/w dokumentach, Laboratorium uzgadnia zasadę, która będzie zastosowana.
7. W przypadku, gdy wynik nie zawiera się w akredytowanym zakresie pomiarowym, wartość jest przedstawiona jako rezultat badania w formie <y lub >y (y- wartość odpowiadająca dolnej/górnej granicy zakresu pomiarowego akredytowanej metody).
8. Laboratorium nie ponosi odpowiedzialności za dane dostarczone przez Klientów. Dostarczone dane mogą wpływać na ważność wyników.

Analytical report AR-26-E8-027200-01



Sample code 297-2026-00027631

Issue date 04.03.2026

Client	SFD S.A. ul. Głogowska 41 45-315 Opole POLSKA
x Type of sample	ALLDEYNN ELECTROROSE 300 g LEMON-LIME NEW 005-32419-3790981
x Prescriber	SFD S.A.
x Purchase order date	13.02.2026
x Client Purchase order nr.	13.02.2026
Transport by	Customer
x Sampling Person	principal
x Purpose of the testing	technological sample
x Type of sampling	to guarantee its representativeness
Reception date	16.02.2026
x Batch number	AD260231
Sample condition	acceptable
Transport condition	at ambient temp.
Number of tested samples	1
x Client sample code	Nowa próbka 3
Start analysis	16.02.2026
End Analysis	03.03.2026

Results / Outcomes

Test code	Parameter	Method	Result	Unit	Uncertainty of measurement	Criteria
A7295	Calciferol quantified as cholecalciferol (A)	USP 41/ NF 36 method 1 mod., LC-DAD	299	µg/100 g	± 59.800	250 µg/100 g
DJCV3	Ascorbic acid calc as Sodium-ascorbat (A)	ISO 20635:2018, LC-DAD	2800	mg/100 g	± 280.000	
	Vitamin C (A)		2490	mg/100 g	± 249.000	500 mg/100 g
E801K	Content of magnesium (#)	PN-EN 17851:2024-01, ICP-MS	>10000	mg/kg	10000 ± 1500.00	1250 mg/100 g
E801Q	Content of calcium (#)	PN-EN 17851:2024-01, ICP-MS	>10000	mg/kg	10000 ± 1500.00	2400 mg/100 g
E801R	Content of potassium (#)	PN-EN 17851:2024-01, ICP-MS	>10000	mg/kg	10000 ± 1500.00	2000 mg/100 g
E8AJ2	Content of sodium (#)	PN-EN 17851:2024-01, ICP-MS	>1	g/100 g	1 ± 0.1500	2000 mg/100 g

= Not accredited
A = Accredited method
x = Data provided by the customer

Details of laboratory accreditation:

A7295, DJCV3: Eurofins Vitamin Testing Denmark RE00037: DS EN ISO/IEC 17025 DANAK 581

+/- Uncertainty of measurement presented as expanded uncertainty of measurement (95%; k=2). The measurement uncertainty does not take into account the sampling step. For test results given in the form „<or>“, the given uncertainty of measurement applies only to the lower or upper limit of the accredited measuring range, respectively.

JUDGEMENT

Mg = 13441,90 mg/kg;

Ca = 25105,60 mg/kg;

K = 22772,17 mg/kg;

Na = 2,0851 g/100 g



Authorized by:
Magdalena Pawlak - Junior Assistant – Chemical Department

Approved by Wiktoria Tomecka
Junior Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied.
7. If the result is not within the accredited measurement range, the value is presented as a test result in the form <y or >y (y - value corresponding to the lower/upper limit of the accredited method's measurement range).
8. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.

NIP: PL5792000046 Regon: 192897343