Eurofins Polska Sp. z.o.o.
ul. Dubois 118D
93-465 Lodz
POLSKA
Tel: Not available

Raport analityczny AR-26-E8-099212-01

Numer próbki 297-2026-00146119

Data raportu 03.08.2026

	Klient	SFD S.A. ul. Głogowska 41 45-315 Opole POLSKA
x	**Rodzaj próbki**	ALLNUTRITION HEPATO COMPLEX 90 kap 005-32419-3949845
x	**Zlecający badania**	SFD S.A.
x	**Data zlecenia klienta**	20.07.2026
x	**Numer zlecenia**	20.07
	Próbki dostarczone przez	Próbkobiorca Eurofins
x	**Próbki pobrane przez**	zleceniodawcę
x	**Cel badania**	nieokreślony
x	**Sposób pobrania próbki/próbek**	gwarantujący jej reprezentatywność
	Data przyjęcia próbki	23.07.2026
x	**Numer Partii**	5460126
x	**Opakowanie**	opakowanie producenta
	Stan próbki	bez zastrzeżeń
	Warunki transportu	w temp. otoczenia
	Ilość próbek zbadanych	1
x	**Kod próbki klienta**	Nowa próbka 7
	Data rozpoczęcia badania	28.07.2026
	Data zakończenia badania	01.08.2026

Wyniki badań / Rezultaty

Test	Parametr	Metoda	Wynik	Jednostka	Niepewność pomiaru
DJA42	Cholina (suma) (A)	AOAC Vol 91,1 2008, LC-MS/MS	114000	mg/kg	± 11400
DJAPN	1-Metylohistydyna (wolna) (#)	EN ISO 13903:2005 mod, IC-UV	<0 ,5 (LOQ)	g/kg	
	Homocystyna (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	3-Metylohistydyna (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Alanina (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Anseryna (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Arginina (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Asparagina (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	beta-alanina (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Cystationina (wolna) (#)		<0 ,5 (LOQ)	g/kg	

	Cystyna (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Cytrulina (#)		<0 ,5 (LOQ)	g/kg	
	delta-hydroksylizyna (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Etanoloamina (#)		<0 ,5 (LOQ)	g/kg	
	Fenyloalanina (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Fosfoetanoloamina (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Fosfoseryna (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Glicyna (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Glutamina (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Histydyna (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Hydroksyprolina (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Izoleucyna (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Karnozyna (#)		<0 ,5 (LOQ)	g/kg	
	kwas alfa-aminoadypowy (wolny) (#)		<0 ,5 (LOQ)	g/kg	
	kwas alfa-amino-n-masłowy (wolny) (#)		<0 ,5 (LOQ)	g/kg	
	Kwas asparaginowy (#)		<0 ,5 (LOQ)	g/kg	
	kwas beta-aminoizomasłowy (wolny) (#)		<0 ,5 (LOQ)	g/kg	
	Kwas gamma-amino-n-masłowy (wolny) (#)		<0 ,5 (LOQ)	g/kg	
	Kwas glutaminowy (wolny) (#)		<0 ,5 (LOQ)	g/kg	
	Leucyna (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Lizyna (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Metionina (wolna) (#)		71 ,2	g/kg	± 5.696
	Mocznik (#)		<0 ,5 (LOQ)	g/kg	
	Ornityna (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Prolina (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Sarkozyna (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Seryna (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Tauryna (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Treonina (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Tryptofan (wolny) (#)		<0 ,5 (LOQ)	g/kg	
	Tyrozyna (wolna) (#)		<0 ,5 (LOQ)	g/kg	
	Walina (wolna) (#)		<0 ,5 (LOQ)	g/kg	
DJC0N	Interpretacja/komentarz (#)		Yes		

# = Nieakredytowany
A = Badanie akredytowane
x = Dane dostarczone od Klienta

Badania wykonano w laboratorium:
DJAPN, DJC0N: Eurofins Vitamin Testing Denmark 0001: (Not accredited)
DJA42: Eurofins Vitamin Testing Denmark RE00037: DS EN ISO/IEC 17025 DANAK 581

+/- Niepewność pomiaru wyrażona jako niepewność rozszerzona przy poziomie ufności około 95% i współczynniku rozszerzenia k=2. Niepewnosc pomiaru nie uwzglednia etapu pobierania próbek. Dla rezultatów badania podanych w formie „< lub >”, podana niepewność pomiaru dotyczy wyłącznie odpowiednio dolnej lub górnej granicy akredytowanego zakresu pomiarowego.



Zatwierdzający: Wiktoria Tomecka-Orzel
Młodszy Koordynator ds. Technicznej Obsługi Klient

1. Wyniki odnoszą się do otrzymanych i badanych próbek.
2. Wyników badań nie można powielać inaczej niż w całości bez pisemnej zgody Eurofins Polska Sp. z o.o.
3. Laboratorium podaje niepewność pomiaru, gdy jest to istotne dla ważności wyników lub zastosowania wyników badań; jest uzgodnione z klientem; jeśli niepewność pomiaru wpływa na zgodność z wyspecyfikowaną granicą.
4. Klient ma prawo do złożenia skargi w terminie 14 dni od daty otrzymania raportu analitycznego. Dopuszcza się przyjmowanie skargi jedynie w formie pisemnej, drogą elektroniczną na adres reklamacje@eurofin lub drogą pocztową.
5. Zatwierdzone wyniki badań wykonywanych u dostawców autoryzowane są przez osoby upoważnione w laboratorium dostawcy.
6. W przypadku, gdy Klient wymaga stwierdzenia zgodności ze specyfikacją lub wymaganiem dotyczącym badania a zasada podejmowania decyzji nie jest zawarta w w/w dokumentach, Laboratorium uzgadnia zasadę, która będzie zastosowana.
7. W przypadku, gdy wynik nie zawiera się w akredytowanym zakresie pomiarowym, wartość jest przedstawiona jako rezultat badania w formie <y lub >y (y- wartość odpowiadająca dolnej/górnej granicy zakresu pomiarowego akredytowanej metody).
8. Laboratorium nie ponosi odpowiedzialności za dane dostarczone przez Klientów. Dostarczone dane mogą wpływać na ważność wyników.

- KONIEC RAPORTU -

Eurofins Polska Sp. z.o.o.
ul. Dubois 118D
93-465 Lodz
POLAND
Tel: Not available

Analytical report AR-26-E8-099212-01

Sample code 297-2026-00146119

Issue date 03.08.2026

	Client	SFD S.A. ul. Głogowska 41 45-315 Opole POLSKA
x	**Type of sample**	ALLNUTRITION HEPATO COMPLEX 90 kap 005-32419-3949845
x	**Prescriber**	SFD S.A.
x	**Purchase order date**	20.07.2026
x	**Client Purchase order nr.**	20.07
	Transport by	Eurofins sample taker
x	**Sampling Person**	principal
x	**Purpose of the testing**	not specified
x	**Type of sampling**	to guarantee its representativeness
	Reception date	23.07.2026
x	**Batch number**	5460126
x	**Packaging**	manufacturer packaging
	Sample condition	acceptable
	Transport condition	at ambient temp.
	Number of tested samples	1
x	**Client sample code**	Nowa próbka 7
	Start analysis	28.07.2026
	End Analysis	01.08.2026

Results / Outcomes

Test code	Parameter	Method	Result	Unit	Uncertainty of measurement
DJA42	Choline, total (A)	AOAC Vol 91,1 2008, LC-MS/MS	114000	mg/kg	± 11400
DJAPN	1-Methylhistidine (Free) (#)	EN ISO 13903:2005 mod, IC-UV	<0 ,5 (LOQ)	g/kg	
	3-Methylhistidine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Alanine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	alpha-Aminoadipic acid (Free) (#)		<0 ,5 (LOQ)	g/kg	
	alpha-Amino-n-butyric acid (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Anserine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Arginine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Asparagine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Aspartic Acid (#)		<0 ,5 (LOQ)	g/kg	

	beta-Alanine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	beta-Aminoisobutyric acid (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Carnosine (#)		<0 ,5 (LOQ)	g/kg	
	Citrulline (#)		<0 ,5 (LOQ)	g/kg	
	Cystathionine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Cystine (free) (#)		<0 ,5 (LOQ)	g/kg	
	Ethanolamine (#)		<0 ,5 (LOQ)	g/kg	
	gamma-Amino-n-butyric acid (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Glutamic acid (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Glutamine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Glycine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Histidine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Homocystine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Hydroxylysine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Hydroxyproline (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Isoleucine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Leucine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Lysine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Methionine (Free) (#)		71 ,2	g/kg	± 5.696
	Ornithine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Phenylalanine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Phosphoethanolamine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Phosphoserine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Proline (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Sarcosine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Serine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Taurine (free) (#)		<0 ,5 (LOQ)	g/kg	
	Threonine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Tryptophan (free) (#)		<0 ,5 (LOQ)	g/kg	
	Tyrosine (Free) (#)		<0 ,5 (LOQ)	g/kg	
	Urea (#)		<0 ,5 (LOQ)	g/kg	
	Valine (Free) (#)		<0 ,5 (LOQ)	g/kg	
DJC0N	Testing performed on capsule content (#)		Yes		

# = Not accredited
A = Accredited method
x = Data provided by the customer

Details of laboratory accreditation:
DJAPN, DJC0N: Eurofins Vitamin Testing Denmark 0001: (Not accredited)
DJA42: Eurofins Vitamin Testing Denmark RE00037: DS EN ISO/IEC 17025 DANAK 581

+/- Uncertainty of measurement presented as expanded uncertainty of measurement (95%; k=2). The measurement uncertainty does not take into account the sampling step. For test results given in the form „<or>”, the given uncertainty of measurement applies only to the lower or upper limit of the accredited measuring range, respectively.



Approved by Wiktoria Tomecka-Orzel
Junior Analytical Service Manager

1. The results apply to samples received and analyzed.
2. The test results shall not be reproduced except in full without the written permission of Eurofins Polska Sp. z o.o.
3. Laboratory measurement uncertainty is given when it is relevant to the validity of the test result or the application of the test results; it is agreed with the client; if the uncertainty of measurement affects compliance with the specified limit.
4. The client has the right to submit a complaint within 14 days of receiving the analytical report. May be admitted only complaint in writing, by email reklamacje@eurofins.pl or by mail.
5. Approved analytical results made by subcontractors are authorized by persons authorized in the laboratory of the subcontractor.
6. In case a Customer demands a statement of conformity, or a requirement related to a test and the decision making rule is not included in the documents listed above, the Laboratory appoints a rule to be applied
7. If the result is not within the accredited measurement range, the value is presented as a test result in the form <y or >y (y - value corresponding to the lower/upper limit of the accredited method's measurement range).
8. The laboratory is not responsible for the data provided by customers. The data provided may affect the validity of the results.